



Declaration of Performance

**UK
CA**

CAW (Cornwall) Limited.
Threemilestone Ind Est, Truro, Cornwall, TR4 9LD

24

DoP No: CAW001

VEKA Matrix 70 Internally Glazed Casement Window,
Intended for use in domestic or commercial refurbishment or new building
applications.

Annex ZA.1 of BS EN 14351-1:2006+A1:2010

Watertightness: NPD

Dangerous substances: None released

Resistance to wind load: NPD

Load-bearing capacity of safety devices: Pass, 350N when fitted (1)

Acoustic performance: NPD

Thermal transmittance: $\leq 1.6 \text{ W/m}^2\text{k}$ (2)

Radiation Properties: NPD

Air permeability: NPD

A Factory Production Control (FPC) system is established, documented and maintained in accordance with AVCP System 3 as per Annex ZA.2 of BS EN 14351-1:2006+A1:2010.

(1) Report No. 2370/7933731/1of2/issue3, dated 20.12.2012 for Securistyle Defender friction hinges with built in restrictor - BSI, Notified Test Body No. 0086

(2) Thermal Transmittance calculation approved by Buildcheck, Notified Test Body No. 1806, Ref Report No. CU13238-1 dated 18/06/2013.

CLIVE PASCOE
Name (Print)

Signed

C. R. Pascoe

MANAGING DIRECTOR
Position

05.01.2024 TRURO
Date and Place of Issue