



Declaration of Performance

www.cawcornwall.com

DoP No. CAW006

202 Commercial Door

Issue 1: 05/01/24

CAW (Cornwall) Limited

Characteristics	Performance	AVCP	hEN
Dangerous substances	None	System 3	EN14351-1 2010
Thermal transmittance	Uw 3.9 W/m ² k (1) Or better than (This figure is based upon centre pane Ug of 1.2 and warm edge spacer, a higher figure would be achieved with a worse performing unit or edge space)	Notified bodies performed the determination of the product-type on the basis of type testing, type calculation, tabulated values or descriptive documentation of the product, and issueing of test/calculation reports under system 3	
Load bearing capacity of safety devices	None		

Notified Bodies: (1) Exova Warringtonfire EC No. 1104 (Report No WIL328908)

The performance of the products certified with the above unique identification codes are in conformity with the relevant declared performances.

This declaration of performance is issues under the sole responsibility of CAW (Cornwall) Ltd, Threemilestone Ind Est, Truro, Cornwall, TR4 9LD, UK

Signed for and on behalf of the manufacturer by:

Name and Function	Place and date of issue	Signature
CLIVE PASCOE MANAGING DIRECTOR	TRURO 05.01.2024	<i>C. Pascoe</i>