



Declaration of Performance

**UK
CA**

TUV Rheinland 0336

CAW (Cornwall) Ltd
Threemilestone Industrial Estate, Truro, Cornwall, TR4 9LD

24

0336 – CPR – 8920 6284

DoP No: CAW011

Veka Matrix 70, Open-out Residential Door, fitted with emergency exit panic hardware
Intended for use in domestic and commercial refurbishment or new building applications on
escape routes.

Annex ZA.1 of BS EN 14351-1:2006+A1:2010

Watertightness: NPD

Dangerous substances: None released under normal indoor use.

Resistance to wind load: NPD

Impact resistance (glazed doors with injury risk only): NPD

Load-bearing capacity of safety devices: Not fitted

Height & width (clear opening): NPD

Ability to release (locked doors on escape routes only): Emergency exit panic hardware complies
with EN1125 when fitted (1)

Acoustic performance: NPD

Thermal transmittance: $\leq 1.6 \text{ W/m}^2\text{k}$ (2)

Radiation Properties: NPD

Air permeability: NPD

(1): Continuous surveillance of Factory Production Control (FPC) in compliance with AVCP
System 1 as per Annex ZA.2 of BS EN 14351-1:2006+A1:2010 by TUV Reinland, Notified Test
Body No. 0336

For all other essential characteristics, Factory Production Control (FPC) system is established,
documented and maintained in accordance with AVCP System 3 as per Annex ZA.2 of BS EN
14351-1:2006+A1:2010.

(2) Thermal Transmittance calculation approved by Buildcheck, Notified Test Body No. 1806, Ref
Report No. CU13238-7 dated 20.06.2013.

CLIVE PASCOE
Name (Print)

Signed

C. R. Pascoe

MANAGING DIRECTOR
Position

05.01.2024 TRURO
Date and Place of Issue